s sallén



Sallén D1K family

Cash Management solutions

Sallén D1K family

Versatile to match each installation condition with a simple yet powerful user interface



The D1K is part of our compact deposit unit range. It streamlines daily cash processes and improves the overall efficiency of all the employees that deal with cash management. It also allows to maximise your ROI.

The compact range is designed to help small to midsize retailers and carry out quick and safe cash deposit transactions with maximum adaptability to your needs.

The different compact solutions adapt to your needs in terms of size, capacity and type of storage. All compact range series run with our EMA platform.

Compact, Secure and Efficient Cash Processing

- Stacked banknotes in cassette.
- Real time accountancy of each transaction.
- Web remote management and administration (including banknote validator upgrades).
- Multicurrency in the same transaction.
- Multilanguage.

- Sallén One Time Code system to open the safe.
- Common platform for all Sallén Deposit Range.
- Visual and tactile interface via colour touch screen.
- Various cloud connections simultaneously.



Multi cloud



Different identification formats



Multicurrency within one deposit



EMA Platform



Specifications

Model Specifications					
	D1K1200	D1K2200			
Capacity	1200 stacked	2200 stacked			
Dimension (WxDxH)	216x450x560	216x605x580			
	28,5 kg				
800x480 Touch Display	5"				
Safe	2mm Body /4mm Door				
Manual Deposit	No				
Max. Power Specifications	300 watts. 110-220v.				
Storage Type	Cassette				


Standard features					
Deposit Speed	20 banknotes/minute	Remote management	User management, software updates		
Multicurrency deposits	Yes	Remote note reader update	Yes		
Multilanguage	Yes	Remote data import & export	Yes		
PC	Linux Embedded OS	Time settings	Supports NTP synchronisation		
Software Platform	EMA (Easy Modular Assisted)	"Unified POS" standard	Yes		
Network	Supports VPN and multi cloud communications	Certifications	CE, ROHS, ECB (banknote reader)		
Operating temperature	10o to 40oC	- Humidity	30%-85% relative, non condensating		

Options					
Bank Note Feeder	30 banknotes capacity	One Time Lock	Sallén electronics and algorithm		
Receipt printer	57mm paper width	Additional locks or ID devices	Please contact Sallén		
Barcode Reader	for users and bag / cassette identification	Application customization	Please contact Sallén		

Cash Storage Options

Dimensions





Our goal is to improve the cash cycle in all businesses, every day. So, we believe that by partnering up with all companies that want to make cash management an easy process, we can provide the solution that best meets their needs.







